Aquaculture 155 (1997) vi-viii

## Contents

Broodstock, egg and larval quality	
Blastomere morphology as a predictive measure of fish egg viability	
R.J. Shields (Argyll, Scotland, UK), N.P. Brown and N.R. Bromage (Stirling, UK)	1
Carp ( <i>Cyprinus carpio</i> L.) spermatozoa cryobanks — strategies in research and application	
E. Lubzens, N. Daube, I. Pekarsky (Haifa, Israel), Y. Magnus (Maagan Michael, Israel), A.	
Cohen (Haifa, Israel), F. Yusefovich (Maagan Michael, Israel) and P. Feigin (Haifa, Israel) .	13
Cryopreservation of late embryos and early larvae in the oyster and hard clam	, 0
NH. Chao (Keelung, Taiwan), TT. Lin (Taipei, Taiwan), YJ. Chen, HW. Hsu and IC.	
Liao (Keelung, Taiwan)	31
Techniques for the hatchery conditioning of bivalve broodstocks and the subsequent effect on	01
egg quality and larval viability	
S.D. Utting and P.F. Millican (Conwy, United Kingdom)	45
Seasonal and age variability in the reproductive performance of <i>Penaeus semisulcatus</i>	45
broodstock: optimising broodstock selection	
P.J. Crocos and G.J. Coman (Cleveland, Que. Australia)	55
A review of the effect of genetics and environment on the maturation and larval quality of the	33
giant tiger prawn <i>Penaeus monodon</i>	
J.A.H. Benzie (Townsville, Que. Australia)	69
Maturation performance of <i>Penaeus vannamei</i> co-fed <i>Artemia</i> biomass preparations	09
E. Naessens (Guayaquil, Ecuador), P. Lavens (Ghent, Belgium), L. Gomez (Guayaquil,	
Ecuador), C.L. Browdy, K. McGovern-Hopkins, A.W. Spencer (Bluffton, SC, USA), D.	
Kawahigashi (Newark, CA, USA) and P. Sorgeloos (Ghent, Belgium)	87
Rawanigashi (Newark, CA, USA) and P. Sorgeloos (Grient, Belgium)	87
Larval Nutrition	
The significance of lipids at early stages of marine fish: a review	
J.R. Rainuzzo, K.I. Reitan and Y. Olsen (Trondheim, Norway)	103
Requirements, presentation and sources of polyunsaturated fatty acids in marine fish larval	
feeds	
J.R. Sargent, L.A. McEvoy and J.G. Bell (Stirling, UK)	117
Effects of docosahexaenoic acid and phospholipids on stress tolerance of fish	
A. Kanazawa (Kagoshima, Japan)	129
The stability of docosahexaenoic acid in two Artemia species following enrichment and	
subsequent starvation	
J.O. Evjemo (Trondheim, Norway), P. Coutteau (Gent, Belgium), Y. Olsen (Trondheim,	
Norway) and P. Sorgeloos (Gent, Belgium)	135
Review on the dietary effects of phospholipids in fish and crustacean larviculture	
P. Coutteau, I. Geurden, M.R. Camara (Gent, Belgium), P. Bergot (Saint Pée-sur-Nivelle,	
France) and P. Sorgeloos (Gent, Belgium)	149
Optimization of dietary vitamin C in fish and crustacean larvae: a review	
G. Merchie, P. Lavens and P. Sorgeloos (Gent, Belgium)	165

Co-feeding marine fish larvae with inert and live diets	
G. Rosenlund (Forus, Norway), J. Stoss (Øyestranda, Norway) and C. Talbot (Forus,	10'
Norway)	183
Sparus aurata larvae S. Kolkovski, W. Koven and A. Tandler (Eilat, Israel)	193
A review of the nutritional effects of algae in marine fish larvae	
K.I. Reitan, J.R. Rainuzzo, G. Øie and Y. Olsen (Trondheim, Norway)	207
A. Hagiwara, M.D. Balompapueng (Nagasaki, Japan), N. Munuswamy (Madras, India) and K. Hirayama (Nagasaki, Japan)	223
Production and use of copepods in marine fish larviculture  J.G. Støttrup and N.H. Norsker (Hirtshals, Denmark)	231
Growth, Physiology and Behaviour	
Priorities during early growth of fish larvae  J.W.M. Osse, J.G.M. Van den Boogaart, G.M.J. Van Snik and L. Van der Sluys	
(Wageningen, Netherlands)	249
The cost of growth in young fish larvae, a review of new hypotheses  B.H. Pedersen (Helsingør, Denmark)	259
Growth performance in clonal crucian carp, Carassius langsdorfii. Effects of genetic difference and feeding history	200
T. Umino, K. Arai and H. Nakagawa (Kagamiyama, Japan)	271
review	
D.A. Jones (Gwynedd, UK), M. Kumlu (Adana, Turkey), L. Le Vay and D.J. Fletcher (Gwynedd, UK)	285
The use of behavioural observations in the larviculture of cold-water marine fish J.A. Brown, D. Wiseman and P. Kean (St. John's, Canada)	297
Larviculture Zootechniques and Economics	
Spawning and larval husbandry of flounder ( <i>Paralichthys woolmani</i> ) and Pacific yellowtail	
( Seriola mazatlana), new candidate species for aquaculture D.D. Benetti (Guayaquil, Ecuador; Miami, FL, USA)	307
Application of ecosystem culture method for complete development of phyllosomas of spiny lobster	007
J. Kittaka (Hokkaido, Japan)	319
Commercial feasibility of semi-intensive larviculture of atlantic halibut ( <i>Hippoglossus hippoglossus</i> L.)	
L. Berg (Bergen, Norway)	333
Larviculture of marine fish for sea ranching purposes: is it profitable?  E. Moksness (His, Norway) and R. Støle (Kristiansand, Norway)	341
A re-appraisal of the potential of the sole, Solea solea (L.), for commercial cultivation	
B.R. Howell (Conwy, UK)	355
CS. Lee (Waimanalo, HI, USA), PS. Leung (Honolulu, HI, USA) and MS. Su (Pingtung,	
Taiwan)	367
Microbiology and disease control	
The role of bacteria in the digestion of seaweed by the abalone Haliotis midae	
J.H. Erasmus, P.A. Cook and V.E. Coyne (Rondebosch, South Africa)	377
larval development L. Grisez, J. Reyniers (Leuven, Belgium), L. Verdonck, J. Swings (Gent, Belgium) and F.	
Ollevier (Leuven, Belgium)	387

***	C
VIII	Contents
VIII	Contents

The use of immunostimulation in mar	ine	la	arv	rici	ultu	ure	<b>e</b> :	ро	SS	sib	ili	tie	S	ar	nd	cl	ha	lle	ng	jes	S				
O. Vadstein (Trondheim, Norway)																									40